삼성 오픈소스 컨퍼런스 오픈소스와 DevOps

Cloud 환경기반 서비스의 효율적이고 안정적인 운영을 위한 DevOps 사례 소개

무선**사**업부 | Cloud운영그룹 | 김영욱 18/10/2018

SOSCON 2018

SAMSUNG OPEN SOURCE CONFERENCE 2018


오픈소스와 DevOps

발표자 소개	C
DevOps 소개	C
Infrastructure as Code	C
Immutable Server	C
Continuous Delivery	




SOSCON 2018

SAMSUNG OPEN SOURCE CONFERENCE 2018







Run Book

SOSCON 2018

Alerts/Alarm

Get notification from monitor system

Check

Check status of application/system

Restart service

- If service is unhealthy, try to restart service
- Create a incident ticket to JIRA

Reboot instance

- If service is still going unhealthy after restart, try to make snapshot for inspection
- And reboot instance

Terminate instance

Finally, terminate instance to bring new one automatically

Communication

- Channel
- Notification
- Alert
- Ticket

Alerts/Alarm

Get notification from monitor system



Check

Check status of application/system

Restart service

- If service is unhealthy, try to restart service
- Create a incident ticket to JIRA

Reboot instance


- If service is still going unhealthy after restart, try to make snapshot for inspection
- And reboot instance

Terminate instance

Finally, terminate instance to bring new one automatically

Communication

- Channel
- Notification
- Alert
- Ticket



Automated Test	nGrinder O LOCUST			
Monitor	DATADOG ZIPKIN			
Log Stream				
Communication	♯ slack ₹ Jira			





SAMSUNG OPEN SOURCE CONFERENCE 2018





Infrastructure as Code

Blueprint Your Infrastructure

- Compute
- Application
- Storage
- Security
- Network
- Configuration Standards


Build Anything

- Provision compute resources in the cloud
 - Infrastructure
 - Application Stacks
 - HPC
- Linux, Windows, Unix

Manage It Simply

- Automatically reconfigure everything
- Re-provision for disaster recovery









Infrastructure as Code, Why?

- Because humans make mistakes
- Because human brain is terribly bad at repetitive tasks
- > Because human is slow compared to a bash script
- > ... and because we are humans





Infrastructure as Code

- Version control & Code review
- Simulation
- Security as Code
- One click Disaster Recovery



Desired Architecture

Terraform Code

access key = "ACCESS KEY HERE"

secret key = "SECRET KEY HERE"

resource "aws instance" "example" {

instance_type = "t2.micro"

= "us-east-1"

= "ami-0d729a60"

\$ cat example.tf

provider "aws" {


region



```
$ terraform apply
aws instance.example: Creating...
                            "" => "ami-0d729a60"
                           "" => "t2.micro"
 instance type:
aws_instance.example: Still creating... (10s elapsed)
aws instance.example: Creation complete
Apply complete! Resources: 1 added, 0 changed, 0 destroyed.
~$ terraform show
aws instance.example:
 id = i-32cf65a8
  ami = ami-0d729a60
  availability zone = us-east-1a
 instance_state = running
  instance type = t2.micro
  private ip = 172.31.30.244
 public dns = ec2-52-90-212-55.compute-1.amazonaws.com
 public ip = 52.90.212.55
 subnet_id = subnet-1497024d
 vpc security group ids.# = 1
  vpc_security_group_ids.3348721628 = sg-67652003
```


Provisioned Architecture









Infrastructure Building Blocks











Artifact

Machine

Infrastructure




SAMSUNG OPEN SOURCE CONFERENCE 2018



Immutable Infrastructure


We can replace them with new image in an incident. We don't need to touch the running server to fix problem.





Mutable


SOSCON 2018




Update App








Packer is a tool for creating machine and container images for multiple platforms from a single source configuration.






How to Build/Bake Immutable Images







Blame History Permalink

dccb132d

Replace Delete







Continuous Delivery



SOSCON 2018

SAMSUNG OPEN SOURCE CONFERENCE 2018




Production-ready software

Fast, automated feedback on the production readiness of your applications every time there is a change – to code, infrastructure, or configuration





Continuous Delivery Pipeline









Continuous Delivery Pipeline

Acceptance **Pipeline** Commit stage Release stage **UAT** stage test stage instance 0.0.133.12 Completed **Failed** 0.0.133.13 Completed Completed Completed Completed Pending Pending Completed 0.0.133.14 Completed Trigger now **Trigger now** 0.0.133.15 Failed 0.0.133.16 Running






	Code Check-in	Continuous Integration	Bake	Deployment	Post-deploy Test	Hotfix	Canary	Live
			SPINNAKER					



→ Let's don't manage the whole mess.

Just use the **push button**Spinnaker







ELB - Internal Services Only Spinnaker ELB - Deck + API Clients Deck DynamoDB Cassandra Gate All connections between and utilize mTLS and a certificate R signed by our internal certificate authority. All connections to GATE utilize mTLS and a certificate signed by our external certificate authority. Mine Orca Rosco Internal-only Spinnaker Services C* Jenkins Stash Masters Igor Front50 Mahe R R S3 Cloud Audit Flex Echo Driver C* R Other Services IAM + Assume Role **AWS**






Q

Young-ook ▼

Search




SPINNAKER

Search


Projects

Applications












Spinnaker Pipeline




Pipelines are the key deployment management construct in Spinnaker. They consist of a sequence of actions, known as stages.

Spinnaker

Multi-Cloud Continuous Delivery platform for releasing software changes with high velocity and confidence.

Key features

- Delivery Pipelines
- Deployment Strategies
- Cluster Management
- Jenkins Integration
- Supports Multi Cloud (AWS, GCP, Azure, Kubernetes, ECS, DC/OS, Cloud Foundry)







Deployment Strategies (Immutable Infrastructure)





Cloud

SOSCON 2018

Multi Cloud

VMs

Containers

Serverless





THANK YOU

SOSCON 2018

AMSUNG OPEN SOURCE CONFERENCE 2018

